

Sika MonoTop®-3400 Abraroc

VYHLÁSENIE O PARAMETROCH

č. 44065099

1	JEDINEČNÝ IDENTIFIKAČNÝ KÓD TYPU VÝROBKU:	44065099
2	ZAMÝŠĽANÉ POUŽITIE/POUŽITIA:	EN 1504-3:2005 Výrobky a systémy na ochranu a opravu betónových konštrukcií s nosnou funkciou a bez nosnej funkcie
3	VÝROBCA:	Sika Services AG Tüffenwies 16-22 8064 Zürich Švajčiarsko
4	SPLNOMOCNENÝ ZÁSTUPCA:	Sika Slovensko, spol. s r.o. Rybničná 38/e 831 06 Bratislava, Slovenská republika
5	SYSTÉM(-Y) POSUDZOVANIA A OVEROVANIA NEMENNOSTI PARAMETROV:	System 2+
6a	HARMONIZOVANÁ NORMA:	EN 1504-3:2005
	Notifikovaný(-é) subjekt(-y):	0333

7 DEKLAROVANÉ PARAMETRE

Podstatné vlastnosti	Parametre	AVCP	Harmonizovaná technická špecifikácia
Pevnosť v tlaku	≥ 45 MPa	System 2+	EN 1504-3:2005
Obsah chloridových iónov	≤ 0,05%	System 2+	
Prídržnosť	≥ 2,0 MPa	System 2+	
Odolnosť proti karbonatácii	vyhovuje		
Modul pružnosti	≥ 20 GPa	System 2+	
Teplotná kompatibilita	≥ 2,0 MPa	System 2+	
Odolnosť proti šmyku	NPD		
Koeficient teplotnej rozťažnosti	NPD		
Kapilárna nasiakavosť	≤ 0,5 kg.m ⁻² .h ^{-0,5}	System 2+	
Reakcia na oheň	Trieda A1	System 2+	
Uvoľňovanie chemických látok nebezpečných pre životné prostredie a zdravie	NPD		

NPD – parameter nestanovený



8 VHODNÁ TECHNICKÁ DOKUMENTÁCIA A/ALEBO ŠPECIFICKÁ TECHNICKÁ DOKUMENTÁCIA

Uvedené parametre výrobku sú v zhode so súborom deklarovovaných parametrov. Toto vyhlásenie o parametroch sa v súlade s nariadením (EÚ) č. 305/2011 vydáva na výhradnú zodpovednosť uvedeného výrobcu.

Podpísal(-a) za a v mene Sika Slovensko, spol. s r.o.:

Meno : Ing. Henrieta Absolonová
Funkcia: Manažér kvality a EMS
V Bratislave, dňa 31.01.2020

Meno : Ing. Marek Mikuš
Funkcia: Konateľ Sika Slovensko, spol. s r.o.
V Bratislave, dňa 31.01.2020



End of information as required by Regulation (EU) No 305/2011

Vyhlásenie o parametroch

Sika MonoTop®-3400 Abraroc
44065099
2019.10, ver. 2
1017

SUVISIACE VYHLASENIE O PARAMETROCH

Názov produktu
Sika MonoTop®-3400 Abraroc

Harmonizovaná technická špecifikácia
EN 13813:2002

Číslo VoP
58100134



18

Sika Services AG, Zurich, Switzerland

VoP č. 44065099

EN 1504-3:2005

Notifikovaná osoba 0333

Výrobky a systémy na ochranu a opravu betónových konštrukcií s nosnou funkciou a bez nosnej funkcie

Pevnosť v tlaku	≥ 45 MPa
Obsah chloridových iónov	≤ 0,05%
Prídržnosť	≥ 2,0 MPa
Odolnosť proti karbonatácii	vyhovuje
Modul pružnosti	≥ 20 GPa
Teplotná kompatibilita	≥ 2,0 MPa
Kapilárna nasiakavosť	≤ 0,5 kg.m ⁻² .h ^{-0,5}
Reakcia na oheň	Trieda A1

<http://dop.sika.com>

INFORMÁCIE O OCHRANE ŽIVOTNÉHO PROSTREDIA, ZDRAVIA A BEZPEČNOSTI PRI PRÁCI (REACH)

Informácie a pokyny týkajúce sa bezpečnej prepravy, manipulácie, skladovania a likvidácie chemických produktov nájdete v aktuálnom vydaní karty bezpečnostných údajov, ktorá obsahuje fyzikálne, ekologické, toxikologické a iné údaje, týkajúce sa bezpečnej manipulácie s produktom.

Vyhlásenie o parametroch
Sika MonoTop®-3400 Abraroc
44065099
2019.10, ver. 2
1017

PRÁVNE OZNÁMENIE

Informácie a najmä odporúčania, vzťahujúce sa na aplikáciu a použitie produktov spoločnosti Sika koncovými užívateľmi, sa poskytujú v dobrej viere na základe súčasných vedomostí a skúseností spoločnosti Sika s týmito produktmi, za predpokladu správneho skladovania, manipulácie a aplikácie za bežných podmienok v súlade s doporučeniami spoločnosti Sika. V praxi sa vzhľadom na rozdiely v materiáloch, podkladoch a v skutočných podmienkach na danom mieste nemôže vyvodzovať z týchto informácií ani z písomných odporúčaní, či iného poskytnutého poradenstva žiadna záruka za predaj alebo vhodnosť a použiteľnosť pre určitý účel, ani žiadna zodpovednosť vyplývajúca z akéhokoľvek právneho vzťahu. Spracovávateľ produktu musí vopred vyskúšať vhodnosť produktu pre plánované použitie a účel. Spoločnosť Sika si vyhradzuje právo na zmenu vlastností svojich produktov. Vlastnícke práva tretích strán musia byť dodržané. Všetky objednávky sa akceptujú v súlade s platnými všeobecnými obchodnými podmienkami. Užívatelia sú vždy povinní preštudovať si poslednú verziu príslušného produktového listu, ktorého kópiu zašleme na vyžiadanie alebo je k dispozícii na www.sika.sk

Pre ďalšie informácie o výrobku kontaktujte:

Sika Slovensko, spol. s r.o., Rybníčná 38/e, 831 06 Bratislava
tel: +421 2 49200403
Fax: +421 2 49200444
e-mail: sika@sk.sika.com

Vyhlásenie o parametroch

Sika MonoTop®-3400 Abraroc
44065099
2019.10, ver. 2
1017

Sika MonoTop[®]-3400 Abraroc

DECLARATION OF PERFORMANCE

No. 44065099

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	44065099
2	INTENDED USE/S	EN 1504-3:2005 Structural and non-structural repair products for concrete for use in buildings and civil engineering works
3	MANUFACTURER:	Sika Services AG Tüffenwies 16-22 8064 Zürich
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 2+
6a	HARMONISED STANDARD:	EN 1504-3:2005
	Notified body/ies:	0333

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Compressive strength	≥ 45 MPa	System 2+	EN 1504-3:2005
Chloride ion content	≤ 0,05 %	System 2+	
Adhesive bond	≥ 2,0 MPa	System 2+	
Carbonation resistance	Pass	System 2+	
Elastic modulus	≥20 GPa	System 2+	
Thermal compatibility, freeze-thaw	≥ 2,0 MPa	System 2+	
Skid resistance	NPD		
Coefficient of thermal expansion	NPD		
Capillary absorption	≤ 0,5 kg·m ⁻² ·h ^{-0,5}	System 2+	
Reaction to fire	Class A1	System 4	
Release of dangerous substances	NPD		

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Tomasz Gutowski
Function: Corporate Standardization and Approvals
At Warsaw on 07 October 2019

Name : Tatiana Ageyeva
Function: Standardization and Approvals
At Warsaw on 07 October 2019



End of information as required by Regulation (EU) No 305/2011

RELATED DECLARATION OF PERFORMANCE

Product Name	Harmonised technical specification	DoP Number
Sika MonoTop®-3400 Abraroc	EN 13813:2002	58100134

Declaration of Performance
Sika MonoTop®-3400 Abraroc
44065099
2019.10 , ver. 2
1017

Template for translation. Only for internal use



18

Sika Services AG, Zurich, Switzerland

DoP No. 44065099

EN 1504-3:2005

Notified Body 0333

Structural and non-structural repair products for concrete for use in buildings and civil engineering works

Compressive strength	≥ 45 MPa
Chloride ion content	≤ 0,05 %
Adhesive bond	≥ 2,0 MPa
Carbonation resistance	Pass
Elastic modulus	≥20 GPa
Thermal compatibility, freeze-thaw	≥ 2,0 MPa
Capillary absorption	≤ 0,5 kg·m ⁻² ·h ^{-0,5}
Reaction to fire	Class A1

<http://dop.sika.com>

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Sika Services AG
Tüffenwies 16-22
8064 Zürich
Switzerland
www.sika.com

Declaration of Performance
Sika MonoTop®-3400 Abraroc
44065099
2019.10 , ver. 2
1017

4/4

Template for translation. Only for
internal use

BUILDING TRUST

